

## Algebra I

## Released Test Questions

**1** Is the equation  $3(2x - 4) = -18$  equivalent to  $6x - 12 = -18$ ?

- A Yes, the equations are equivalent by the Associative Property of Multiplication.
- B Yes, the equations are equivalent by the Commutative Property of Multiplication.
- C Yes, the equations are equivalent by the Distributive Property of Multiplication over Addition.
- D No, the equations are not equivalent.

CSA10108

**2** Which statement is false?

- A The order in which two whole numbers are subtracted does not affect the difference.
- B The order in which two whole numbers are added does not affect the sum.
- C The order in which two rational numbers are added does not affect the sum.
- D The order in which two rational numbers are multiplied does not affect the product.

CSA00001

**3**  $\sqrt{16} + \sqrt[3]{8} =$

- A 4
- B 6
- C 9
- D 10

CSA00471

**4** Which expression is equivalent to  $x^6x^2$ ?

- A  $x^4x^3$
- B  $x^5x^3$
- C  $x^7x^3$
- D  $x^9x^3$

CSA20167

**5** Which number does *not* have a reciprocal?

- A -1
- B 0
- C  $\frac{1}{1000}$
- D 3

CSA10152

**6** What is the multiplicative inverse of  $\frac{1}{2}$ ?

- A -2
- B  $-\frac{1}{2}$
- C  $\frac{1}{2}$
- D 2

CSA10153

## Released Test Questions

## Algebra I

- 7 What is the solution for this equation?

$$|2x - 3| = 5$$

- A  $x = -4$  or  $x = 4$   
 B  $x = -4$  or  $x = 3$   
 C  $x = -1$  or  $x = 4$   
 D  $x = -1$  or  $x = 3$

CSA00264

- 8 What is the solution set of the inequality  $5 - |x + 4| \leq -3$ ?

- A  $-2 \leq x \leq 6$   
 B  $x \leq -2$  or  $x \geq 6$   
 C  $-12 \leq x \leq 4$   
 D  $x \leq -12$  or  $x \geq 4$

CSA10036

- 9 Which equation is equivalent to  $5x - 2(7x + 1) = 14x$ ?

- A  $-9x - 2 = 14x$   
 B  $-9x + 1 = 14x$   
 C  $-9x + 2 = 14x$   
 D  $12x - 1 = 14x$

CSA00206

- 10 Which equation is equivalent to  $4(2 - 5x) = 6 - 3(1 - 3x)$ ?

- A  $8x = 5$   
 B  $8x = 17$   
 C  $29x = 5$   
 D  $29x = 17$

CSA00059

- 11 Which equation is equivalent to  $3[7x - 4(x - 3)] + 1 = 16$ ?

- A  $9x - 2 = 16$   
 B  $9x + 37 = 16$   
 C  $17x - 2 = 16$   
 D  $17x + 13 = 16$

CSA20078

- 12 The total cost ( $c$ ) in dollars of renting a sailboat for  $n$  days is given by the equation

$$c = 120 + 60n.$$

If the total cost was \$360, for how many days was the sailboat rented?

- A 2  
 B 4  
 C 6  
 D 8

CSA00485

- 13 Solve:  $3(x + 5) = 2x + 35$

Step 1:  $3x + 15 = 2x + 35$

Step 2:  $5x + 15 = 35$

Step 3:  $5x = 20$

Step 4:  $x = 4$

Which is the first *incorrect* step in the solution shown above?

- A Step 1  
 B Step 2  
 C Step 3  
 D Step 4

CSA00332

## Algebra I

## Released Test Questions

- 14** A 120-foot-long rope is cut into 3 pieces. The first piece of rope is twice as long as the second piece of rope. The third piece of rope is three times as long as the second piece of rope. What is the length of the longest piece of rope?

A 20 feet  
B 40 feet  
C 60 feet  
D 80 feet

CSA10052

- 15** The cost to rent a construction crane is \$750 per day plus \$250 per hour of use. What is the maximum number of hours the crane can be used each day if the rental cost is not to exceed \$2500 per day?

A 2.5  
B 3.7  
C 7.0  
D 13.0

CSA10057

- 16** What is the solution to the inequality  $x - 5 > 14$ ?

A  $x > 9$   
B  $x > 19$   
C  $x < 9$   
D  $x < 19$

CSA00487

- 17** The lengths of the sides of a triangle are  $y$ ,  $y + 1$ , and 7 centimeters. If the perimeter is 56 centimeters, what is the value of  $y$ ?

A 24  
B 25  
C 31  
D 32

CSA10046

- 18** Beth is two years older than Julio. Gerald is twice as old as Beth. Debra is twice as old as Gerald. The sum of their ages is 38. How old is Beth?

A 3  
B 5  
C 6  
D 8

CSA20171

## Released Test Questions

## Algebra I

- 19 Which number serves as a counterexample to the statement below?

All positive integers are divisible by 2 or 3.

- A 100  
B 57  
C 30  
D 25

CSG10197

- 20 What is the conclusion of the statement in the box below?

If  $x^2 = 4$ , then  $x = -2$  or  $x = 2$ .

- A  $x^2 = 4$   
B  $x = -2$   
C  $x = 2$   
D  $x = -2$  or  $x = 2$

CSA30045

- 21 Which of the following is a valid conclusion to the statement “If a student is a high school band member, then the student is a good musician”?

- A All good musicians are high school band members.  
B A student is a high school band member.  
C All students are good musicians.  
D All high school band members are good musicians.

CSA30095

- 22 The chart below shows an expression evaluated for four different values of  $x$ .

$x$	$x^2 + x + 5$
1	7
2	11
6	47
7	61

Josiah concluded that for all positive values of  $x$ ,  $x^2 + x + 5$  produces a prime number. Which value of  $x$  serves as a counterexample to prove Josiah’s conclusion false?

- A 5  
B 11  
C 16  
D 21

CSA20027

- 23 John’s solution to an equation is shown below.

Given:  $x^2 + 5x + 6 = 0$

Step 1:  $(x + 2)(x + 3) = 0$

Step 2:  $x + 2 = 0$  or  $x + 3 = 0$

Step 3:  $x = -2$  or  $x = -3$

Which property of real numbers did John use for Step 2?

- A multiplication property of equality  
B zero product property of multiplication  
C commutative property of multiplication  
D distributive property of multiplication over addition

CSA20034

## Algebra I

## Released Test Questions

- 24** Stan's solution to an equation is shown below.

**Given:**  $n + 8(n + 20) = 110$

**Step 1:**  $n + 8n + 20 = 110$

**Step 2:**  $9n + 20 = 110$

**Step 3:**  $9n = 110 - 20$

**Step 4:**  $9n = 90$

**Step 5:**  $\frac{9n}{9} = \frac{90}{9}$

**Step 6:**  $n = 10$

Which statement about Stan's solution is true?

- A Stan's solution is correct.
- B Stan made a mistake in Step 1.
- C Stan made a mistake in Step 3.
- D Stan made a mistake in Step 5.

CSA20035

- 25** When is this statement true?

The opposite of a number is less than the original number.

- A This statement is never true.
- B This statement is always true.
- C This statement is true for positive numbers.
- D This statement is true for negative numbers.


CSA20147

- 26** What is the y-intercept of the graph of  $4x + 2y = 12$ ?

- A -4
- B -2
- C 6
- D 12

CSA00239

- 27** Which inequality is shown on the graph below?




- A  $y < \frac{1}{2}x - 1$
- B  $y \leq \frac{1}{2}x - 1$
- C  $y > \frac{1}{2}x - 1$
- D  $y \geq \frac{1}{2}x - 1$

CSA10130


Released Test Questions

Algebra I


28 Which *best* represents the graph of  $y = 2x - 2$ ?




A



C




B



D

CSA00299

29 Which inequality does the shaded region of the graph represent?




- A  $3x + y \leq 2$
- B  $3x + y \geq 2$
- C  $3x + y \leq -2$
- D  $3x + y \geq -2$

CSA20055

## Algebra I

## Released Test Questions

30




Which equation *best* represents the graph above?

- A  $y = x$
- B  $y = 2x$
- C  $y = x + 2$
- D  $y = 2x + 2$

CSA00508

31 Which equation represents the line shown in the graph below?



- A  $y = \frac{2}{3}x + 4$
- B  $y = \frac{2}{3}x - 6$
- C  $y = \frac{3}{2}x + 4$
- D  $y = \frac{3}{2}x - 6$

CSA10049

32 What is the  $x$ -intercept of the line defined by  $-2x + 3y = 12$ ?

- A 6
- B 4
- C -4
- D -6

CSA00007

## Released Test Questions

## Algebra I

**33** Which point lies on the line defined by  $3x + 6y = 2$ ?

- A (0, 2)
- B (0, 6)
- C  $\left(1, -\frac{1}{6}\right)$
- D  $\left(1, -\frac{1}{3}\right)$

CSA00009

**34** What is the equation of the line that has a slope of 4 and passes through the point  $(3, -10)$ ?

- A  $y = 4x - 22$
- B  $y = 4x + 22$
- C  $y = 4x - 43$
- D  $y = 4x + 43$

CSA10150

**35** The data in the table show the cost of renting a bicycle by the hour, including a deposit.

Renting a Bicycle

Hours ( $h$ )	Cost in dollars ( $c$ )
2	15
5	30
8	45

If hours,  $h$ , were graphed on the horizontal axis and cost,  $c$ , were graphed on the vertical axis, what would be the equation of a line that fits the data?

- A  $c = 5h$
- B  $c = \frac{1}{5}h + 5$
- C  $c = 5h + 5$
- D  $c = 5h - 5$

CSA10005



## Algebra I

## Released Test Questions

- 36** Some ordered pairs for a linear function of  $x$  are given in the table below.

$x$	$y$
1	1
3	7
5	13
7	19

Which of the following equations was used to generate the table above?

- A  $y = 2x + 1$   
 B  $y = 2x - 1$   
 C  $y = 3x - 2$   
 D  $y = 4x - 3$

CSA10181

- 37** Which point lies on the line represented by the equation below?

$$5x + 4y = 22$$

- A  $\left(-2, \frac{11}{4}\right)$   
 B  $\left(-1, \frac{17}{4}\right)$   
 C  $(2, 3)$   
 D  $(6, 2)$

CSA10148

- 38** The equation of line  $l$  is  $6x + 5y = 3$ , and the equation of line  $q$  is  $5x - 6y = 0$ . Which statement about the two lines is true?

- A Lines  $l$  and  $q$  have the same  $y$ -intercept.  
 B Lines  $l$  and  $q$  are parallel.  
 C Lines  $l$  and  $q$  have the same  $x$ -intercept.  
 D Lines  $l$  and  $q$  are perpendicular.

CSA00241

- 39** Which equation represents a line that is

parallel to  $y = -\frac{5}{4}x + 2$ ?

- A  $y = -\frac{5}{4}x + 1$   
 B  $y = -\frac{4}{5}x + 2$   
 C  $y = \frac{4}{5}x + 3$   
 D  $y = \frac{5}{4}x + 4$


CSA10112

Released Test Questions


Algebra I

- 40** Which graph *best* represents the solution to this system of inequalities?


$$\begin{cases} 2x \geq y - 1 \\ 2x - 5y \leq 10 \end{cases}$$




A



C



B



D

CSA00516

- 41** What is the solution to this system of equations?

$$\begin{cases} y = -3x - 2 \\ 6x + 2y = -4 \end{cases}$$

- A (6, 2)
- B (1, -5)
- C no solution
- D infinitely many solutions

CSA00027

- 42** Which ordered pair is the solution to the system of equations below?

$$\begin{cases} x + 3y = 7 \\ x + 2y = 10 \end{cases}$$

- A  $(\frac{7}{2}, \frac{13}{4})$
- B  $(\frac{7}{2}, \frac{17}{5})$
- C (-2, 3)
- D (16, -3)

CSA10131

- 43** Marcy has a total of 100 dimes and quarters. If the total value of the coins is \$14.05, how many quarters does she have?

- A 27
- B 40
- C 56
- D 73

CSA20083

- 44** Which of the following *best* describes the graph of this system of equations?

$$\begin{cases} y = -2x + 3 \\ 5y = -10x + 15 \end{cases}$$

- A two identical lines
- B two parallel lines
- C two lines intersecting in only one point
- D two lines intersecting in only two points

CSA00509

## Algebra I

## Released Test Questions

- 45** Members of a senior class held a car wash to raise funds for their senior prom. They charged \$3 to wash a car and \$5 to wash a pick-up truck or a sport utility vehicle. If they earned a total of \$275 by washing a total of 75 vehicles, how many cars did they wash?

- A 25  
B 34  
C 45  
D 50

CSA10187

- 46** At what point do the lines represented by the equations  $2x + y + 1 = 0$  and  $4x + y - 3 = 0$  intersect?

- A (2, 5)  
B (2, -5)  
C (-1, 1)  
D (1, -1)

CSA20092

**47**  $\frac{5x^3}{10x^7} =$

- A  $2x^4$   
B  $\frac{1}{2x^4}$   
C  $\frac{1}{5x^4}$   
D  $\frac{x^4}{5}$

CSA00303

**48**  $(4x^2 - 2x + 8) - (x^2 + 3x - 2) =$

- A  $3x^2 + x + 6$   
B  $3x^2 + x + 10$   
C  $3x^2 - 5x + 6$   
D  $3x^2 - 5x + 10$

CSA00086

- 49** The sum of two binomials is  $5x^2 - 6x$ . If one of the binomials is  $3x^2 - 2x$ , what is the other binomial?

- A  $2x^2 - 4x$   
B  $2x^2 - 8x$   
C  $8x^2 + 4x$   
D  $8x^2 - 8x$

CSA10160

- 50** Which of the following expressions is equal to  $(x + 2) + (x - 2)(2x + 1)$ ?

- A  $2x^2 - 2x$   
B  $2x^2 - 4x$   
C  $2x^2 + x$   
D  $4x^2 + 2x$

CSA10191